INDEX TO AUTHORS.

A

Abramson, Harold A. The influence of a low electromotive force on the electrophoresis of lymphocytes of different ages, 445

Amoss, Harold L. The composite nature of a pure culture of a virulent pneumococcus, 649

—. See FLEXNER and AMOSS, 215, 233, 357

Avery, Oswald T. See NEILL and AVERY, 285

B

Binger, Carl A. L. See DAVIES, BROW, and BINGER, 37

Branch, Arnold, and **Stillman, Ernest G.** Pathology of the experimental pneumonias in mice following inhalation of *Streptococcus hæmolyticus*, of Friedländer's bacillus, and of pneumococcus, 631

—. See STILLMAN and BRANCH, 623

Bronfenbrenner, Jacques J., and **Korb, Charles.** Studies on the bacteriophage of d'Hérelle. I. Is the lytic principle volatile? 73

— and **Straub, Elmer L.** The influence of the "diaplyte" antigen of Dreyer on tuberculosis of the guinea pig, 257

Brow, George R. See DAVIES, BROW, and BINGER, 37

Brown, Wade H., and **Pearce, Louise.** The occurrence of stigmata of congenital syphilis in rabbits with especial reference to the factor of inheritance, 795

—. See PEARCE and BROWN, 673

Burke, Victor, and **Skinner, Horace.** Resistance of bacterial spores to the triphenylmethane dyes, 471

C

Chesney, Alan M., and **Kemp, Jarold E.** Studies in experimental syphilis. I. The influence of the size of inoculum on the course of experimental syphilis in the rabbit, 479

— and —. II. The influence of a non-specific inflammatory reaction upon the development of the chancre, 487

Clark, Harry. See HAWKINS and CLARK, 761

Cowdry, E. V. A group of microorganisms transmitted hereditarily in ticks and apparently unassociated with disease, 817

D

Davies, H. Whitridge, Brow, George R., and **Binger, Carl A. L.** The respiratory response to carbon dioxide, 37

Drury, Douglas R., and **Rous, Peyton.** Suppression of bile as a result of impairment of liver function, 611
—. See Rous and Drury, 601

E

Ebeling, Albert H. A pure strain of thyroid cells and its characteristics, 337
Edmunds, Charles W., and **Nelson, Erwin E.** Factors concerned in the polycythemia produced by the subcutaneous injection of epinephrine, 1
Elman, Robert, and **McMaster, Philip D.** Studies on urobilin physiology and pathology. I. The quantitative determination of urobilin, 503
—. See McMaster and Elman, 513, 719

F

Feng, Chih-Tung. See Miles and Feng, 137
Flexner, Simon, and **Amoss, Harold L.** Contributions to the pathology of experimental virus encephalitis. I. An exotic strain of encephalitogenic virus, 215
— and —. II. Herpetic strains of encephalitogenic virus, 233
— and —. III. Varieties and properties of the herpes virus, 357
Florence, Laura. See Smith and Florence, 25
Frühbauer, Emily. See Mackenzie, 53

G

Gorter, E., and **Grendel, F.** On bimolecular layers of lipoids on the chromocytes of the blood, 439
Grendel, F. See Gorter and Grendel, 439

H

Haden, Russell L., and **Orr, Thomas G.** The distribution of chlorides in the blood of the dog after experimental intestinal obstruction, 113
— and —. Experimental high intestinal obstruction in the monkey, 107
— and —. Experimental obstruction of the jejunum. Effect of sodium chloride introduced directly into the lumen of the intestine below the point of obstruction, 707
— and —. The sodium content of the blood of the dog after experimental intestinal obstruction, 119
Hawkins, James A., and **Clark, Harry.** Skin reactions to simultaneous treatments with radiant heat and soft x-rays, 761

Hitchcock, Charles H. Serological relationships among and between the streptococci and pneumococci, 13

J

Jones, F. S. The liver as a source of bacterial agglutinin, 767

K

Kemp, Jarold E. See Chesney and Kemp, 479, 487
Korb, Charles. See Bronfenbrenner and Korb, 73

L

Landsteiner, K., and **van der Scheer, James.** On the antigens of red blood corpuscles. The question of lipoid antigens, 427

Landsteiner, K. See MURPHY and LANDSTEINER, 807

Lewis, Paul A., and **Loomis, Dorothy.** Allergic irritability. II. Anaphylaxis in the guinea pig as affected by the inheritance, 327

Loomis, Dorothy. See LEWIS and LOOMIS, 327

M

Mackenzie, George M. The significance of anaphylaxis in pneumococcus immunity, 53

— and **Woo, Shutai T.** The production and significance of cutaneous allergy to pneumococcus protein, 65

McMaster, Philip D., and **Elman, Robert.** Studies on urobilin physiology and pathology. II. Derivation of urobilin. Relation of the bile to the presence of urobilin in the body, 513

— and —. III. Absorption of pigments of biliary derivation from the intestine, 719

—. See ELMAN and MCMASTER, 503

Miles, Lee Monroe, and **Feng, Chih-Tung.** Calcium and phosphorus metabolism in osteomalacia, 137

Mueller, J. Howard. See ZINSSER and MUELLER, 159

Murphy, James B., and **Landsteiner, K.** Experimental production and transmission of tar sarcomas in chickens, 807

— and **Sturm, Ernest.** A comparison of the effects of x-ray and dry heat on antibody formation, 245

N

Nakahara, Waro. Resistance to spontaneous mouse cancer induced by injections of oleic acid, 347

Neill, James M. Studies on the oxidation-reduction of hemoglobin and methemoglobin. I. The changes induced by pneumococci and by sterile animal tissue, 299

—. II. The oxidation of hemoglobin and reduction of methemoglobin by anaerobic bacilli and by sterile plant tissue, 535

—. III. The formation of methemoglobin during the oxidation of autoxidizable substances, 551

—. IV. The inhibition of "spontaneous" methemoglobin formation, 561

— and **Avery, Oswald T.** Studies on oxidation and reduction by pneumococcus. VIII. Nature of the oxidation-reduction systems in sterile pneumococcus extracts, 285

Nelson, Erwin E. See EDMUNDS and NELSON, 1

du Noüy, P. Lecomte. Surface tension of serum. XII. A technique for the accurate study of the drop in function of the time, 663

—. XIII. Physicochemical studies of immune serum, 779

O

Olitsky, Peter K. Experiments on the cultivation of the active agent of mosaic disease in tobacco and tomato plants, 129

Orcutt, Marion L. See SMITH and ORCUTT, 89

Orr, Thomas G. See HADEN and ORR, 107, 113, 119, 707

P

Pearce, Louise, and **Brown, Wade H.** Distinctive characteristics of infections produced by *Treponema pertenue* in the rabbit, 673

Pearce, Louise. See BROWN and PEARCE, 795

Pritchett, Ida W. Microbic virulence and host susceptibility in paratyphoid-enteritidis infection of white mice. VI. The relative susceptibility of different strains of mice to *per os* infection with the Type II bacillus of mouse typhoid (*Bacillus pestis caviæ*), 195

—. VII. Seasonal variation in the susceptibility of different strains of mice to *per os* infection with the Type II bacillus of mouse typhoid (*Bacillus pestis caviæ*), 209

R

Reimann, Hobart A. Variations in specificity and virulence of pneumococci during growth *in vitro*, 587

Rivers, Thomas M. Skin infection of rabbits with hemolytic streptococci isolated from a patient with erysipelas. I. Method of demonstrating protective action of immune sera, 179

— and **Tillett, William S.** Local passive immunity in the skin of rabbits to infection with (1) a filterable virus, and (2) hemolytic streptococci, 185

Rous, Peyton. The relative reaction within living mammalian tissues. I. General features of vital staining with litmus, 379

—. II. On the mobilization of acid material within cells, and the reaction as influenced by the cell state, 399

—. III. Indicated differences in the reaction of the blood and tissues on vital staining with phthaleins, 451

Rous, Peyton. IV. Indicated differences in the reaction of the organs on vital staining with phthaleins, 739

— and **Drury, Douglas R.** Jaundice as an expression of the physiological wastage of corpuscles, 601

—. See DRURY and ROUS, 611

S

Skinner, Horace. See BURKE and SKINNER, 471

Smith, David T., and **Webster, Leslie T.** Epidemiological studies on respiratory infections of the rabbit. VI. Etiology of otitis media, 275

Smith, Theobald. Focal interstitial nephritis in the calf following interference with the normal intake of colostrum, 413

—. Hydropic stages in the intestinal epithelium of new-born calves, 81

—. Pneumonia associated with *Bacillus abortus* (Bang) in fetuses and new-born calves, 639

— and **Florence, Laura.** *Encephalitozoon cuniculi* as a kidney parasite in the rabbit, 25

— and **Orcutt, Marion L.** The bacteriology of the intestinal tract of young calves with special reference to the early diarrhea ("scours"), 89

Stillman, Ernest G., and **Branch, Arnold.** Experimental pneumonia in mice following the inhalation of *Streptococcus hæmolyticus* and of Friedländer's bacillus, 623

—. See BRANCH and STILLMAN, 631

Straub, Elmer L. See BRONFENBRENNER and STRAUB, 257

Sturm, Ernest. See MURPHY and STURM, 245

T

Tillett, William S. See RIVERS and TILLETT, 185

V

Van Allen, Chester M. The relationship between the growth capacity of primary tumors and the distribution of metastases of a transplanted tumor of the rabbit, 691

van der Scheer, James. See LANDSTEINER and VAN DER SCHEER, 427

W

Webster, Leslie T. Biology of *Bacterium lepisepticum.* I. Effects of oxygen tension and the presence of rabbit blood on growth, dissociation, and virulence, 571

—. See SMITH and WEBSTER, 275

White, A. C. The bicarbonate reserve and the dissociation curve of oxyhemoglobin in febrile conditions, 315

Woo, Shutai T. See MACKENZIE and Woo, 65

Z

Zinsser, Hans, and **Mueller, J. Howard.** On the nature of bacterial allergies, 159

INDEX TO SUBJECTS.

A

Abortus:
Bacillus, pneumonia in fetus (SMITH) 639
—, — — new-born calf (SMITH) 639
Absorption:
Bile pigment, from intestine (MCMASTER and ELMAN) 719
Acid:
Cell, acid material (ROUS) 399
Agglutinin:
Bacterial, liver as source (JONES) 767
Allergy:
Bacterial (ZINSSER and MUELLER) 159
Irritability. II (LEWIS and LOOMIS) 327
Skin, to pneumococcus protein (MACKENZIE and WOO) 65
Anaerobe:
Bacilli, oxidation of hemoglobin (NEILL) 535
—, reduction of methemoglobin (NEILL) 535
Anaphylaxis:
Heredity, influence of, on (LEWIS and LOOMIS) 327
Pneumococcus immunity (MACKENZIE) 53
Antibody:
Formation, x-rays and dry heat, comparison of effects (MURPHY and STURM) 245
Antigen:
Diaplyte, of Dreyer, influence on tuberculosis (BRONFENBRENNER and STRAUB) 257
Erythrocyte (LANDSTEINER and VAN DER SCHEER) 427
Lipoid (LANDSTEINER and VAN DER SCHEER) 427
Autoxidation:
Methemoglobin formation during (NEILL) 551

B

Bacillus:
abortus pneumonia in fetus (SMITH) 639
— — — new-born calf (SMITH) 639
Anaerobic, oxidation of hemoglobin (NEILL) 535
—, reduction of methemoglobin (NEILL) 535
Friedländer's, pneumonia after inhalation (STILLMAN and BRANCH) 623
—, — — —, pathology (BRANCH and STILLMAN) 631
pestis caviæ, *per os* infection, seasonal variation in susceptibility (PRITCHETT) 209
— —, — — infection, susceptibility (PRITCHETT) 195
Typhoid, mouse, *per os* infection, seasonal variation in susceptibility (PRITCHETT) 209

Bacillus—*continued:*
Typhoid, mouse, *per os* infection, susceptibility (PRITCHETT) 195
Bacteriology:
Intestinal tract, early diarrhea in calf (SMITH and ORCUTT) 89
— —, scours in calf (SMITH and ORCUTT) 89
Bacteriophage:
Twort-d'Hérelle phenomenon. I (BRONFENBRENNER and KORB) 73
Bacterium:
Agglutinin, liver as source (JONES) 767
Allergy (ZINSSER and MUELLER) 159
lepisepticum, biology. I (WEBSTER) 571
Spore, resistance to triphenylmethane dyes (BURKE and SKINNER) 471
Bicarbonate:
Reserve during pyrexia (WHITE) 315
Bile:
Pigment, absorption from intestine (MCMASTER and ELMAN) 719
Suppression as result of impairment of liver function (DRURY and ROUS) 611
Urobilin in body, relation (MCMASTER and ELMAN) 513
Biology:
Bacterium lepisepticum. I (WEBSTER) 571
Blood:
Bacterium lepisepticum dissociation, effect on, of (WEBSTER) 571
— — growth, effect on, of (WEBSTER) 571
— — virulence, effect on, of (WEBSTER) 571
Blood—*continued:*
Cell, red. *See* Erythrocyte.
Chlorides, after intestinal obstruction (HADEN and ORR) 113
Chromocyte, bimolecular layers of lipoids (GORTER and GRENDEL) 439
Corpuscle, red. *See* Erythrocyte.
Reaction indicated by vital staining with phthaleins (ROUS) 451
Sodium content after intestinal obstruction (HADEN and ORR) 119

C

Calcium:
Metabolism in osteomalacia (MILES and FENG) 137
Carbon dioxide:
Respiratory response (DAVIES, BROW, and BINGER) 37
Carcinoma:
Spontaneous, resistance induced by injections of oleic acid (NAKAHARA) 347
Cell:
Acid material (ROUS) 399
Blood, red. *See* Erythrocyte.
Reaction (ROUS) 399
Thyroid, pure strain (EBELING) 337
Chancre:
Inflammation, non-specific, influence on development of (CHESNEY and KEMP) 487
Chloride(s):
Blood, after intestinal obstruction (HADEN and ORR) 113
Chromocyte:
Blood, bimolecular layers of lipoids (GORTER and GRENDEL) 439

Colostrum:
Nephritis, interstitial, in calf after interference with normal intake (SMITH) 413
Corpuscle:
Blood, red. *See* Erythrocyte.
Physiological wastage expressed as jaundice (ROUS and DRURY) 601
Cultivation:
Mosaic disease in tobacco plant (OLITSKY) 129
— — — tomato plant (OLITSKY) 129
Pneumococcus, virulent (AMOSS) 649
Cuniculi:
Encephalitozoon, in kidney of rabbit (SMITH and FLORENCE) 25
Cutaneous:
See Skin.

D

Diarrhea:
Calf, young, bacteriology of intestinal tract (SMITH and ORCUTT) 89
Dissociation:
Bacterium lepisepticum, effect of blood (WEBSTER) 571
— —, — — oxygen tension (WEBSTER) 571
Oxyhemoglobin during pyrexia (WHITE) 315
Dyes:
Triphenylmethane, resistance of bacterial spores (BURKE and SKINNER) 471

E

Electromotive force:
Electrophoresis of lymphocytes, influence on, of (ABRAMSON) 445
Electrophoresis:
Lymphocyte, influence of electromotive force (ABRAMSON) 445
Encephalitis:
Virus, exotic strain (FLEXNER and AMOSS) 215
—, herpetic strains (FLEXNER and AMOSS) 233
—, pathology. I (FLEXNER and AMOSS) 215
—, —. II (FLEXNER and AMOSS) 233
—, —. III (FLEXNER and AMOSS) 357
Encephalitozoon:
cuniculi in kidney of rabbit (SMITH and FLORENCE) 25
Enteritidis:
Paratyphoid-, infection, microbic virulence and host susceptibility. VI (PRITCHETT) 195
—, —, — — and host susceptibility. VII (PRITCHETT) 209
Epidemiology:
Respiratory infection of rabbit. VI (SMITH and WEBSTER) 275
Epinephrine:
Polycythemia produced by subcutaneous injection (EDMUNDS and NELSON) 1
Epithelium: (*See also* Skin.)
Intestinal, hydropic, of newborn calf (SMITH) 81
Erysipelas:
Skin infection with hemolytic streptococcus from. I (RIVERS) 179
Erythrocyte:
Antigen (LANDSTEINER and VAN DER SCHEER) 427

Etiology:
Otitis media (SMITH and WEBSTER) 275
Extract:
Pneumococcus, sterile, oxidation-reduction systems (NEILL and AVERY) 285

F

Fetus:
Bacillus abortus pneumonia (SMITH) 639
Fever:
Bicarbonate reserve (WHITE) 315
Oxyhemoglobin dissociation (WHITE) 315
Filtration:
Virus, filterable, local passive immunity in infected skin (RIVERS and TILLETT) 185
Friedländer:
Bacillus. *See* Bacillus.

G

Gland:
Thyroid. *See* Thyroid.
Growth:
Bacterium lepisepticum, effect of blood (WEBSTER) 571
— —, — — oxygen tension (WEBSTER) 571
Pneumococcus *in vitro*, specificity and virulence (REIMANN) 587
Tumor, primary, growth capacity, relation to distribution of metastases (VAN ALLEN) 691

H

Hæmolyticus:
Streptococcus, pneumonia after inhalation (STILLMAN and BRANCH) 623
—, — — —, pathology (BRANCH and STILLMAN) 631
Heat:
Dry, antibody formation, comparison with effect of x-rays (MURPHY and STURM) 245
Radiant, skin reaction to treatment with soft x-rays and (HAWKINS and CLARK) 761
Hemoglobin:
Oxidation by anaerobic bacilli (NEILL) 535
— — sterile plant tissue (NEILL) 535
Oxidation-reduction of hemoglobin and methemoglobin. I (NEILL) 299
— — — and methemoglobin. II (NEILL) 535
— — — and methemoglobin. III (NEILL) 551
— — — and methemoglobin. IV (NEILL) 561
Hemolysis:
Streptococcus, hemolytic, from erysipelas, skin infection. I (RIVERS) 179
—, —, local passive immunity in infected skin (RIVERS and TILLETT) 185
Heredity:
Anaphylaxis, influence on, of (LEWIS and LOOMIS) 327
Microorganism hereditarily

Heredity—*continued:*
transmitted in ticks and unassociated with disease (COWDRY) 817
Syphilis, congenital, stigmata with reference to (BROWN and PEARCE) 795
d'Hérelle phenomenon:
See Twort-d'Hérelle phenomenon.
Herpes:
Virus (FLEXNER and AMOSS) 357
— inducing encephalitis (FLEXNER and AMOSS) 233
Host:
Susceptibility and microbic virulence in paratyphoid-enteritidis infection. VI (PRITCHETT) 195
— — — — in paratyphoid-enteritidis infection. VII (PRITCHETT) 209
Hydropic:
Intestinal epithelium of newborn calf (SMITH) 81

I

Immunity:
Pneumococcus, anaphylaxis (MACKENZIE) 53
Serum, immune, physicochemistry (DU NOÜY) 779
Streptococcus, hemolytic, from erysipelas, protective action of immune serum against skin infection (RIVERS) 179
—, —, local passive immunity in infected skin (RIVERS and TILLETT) 185
Virus, filterable, local passive immunity in infected skin (RIVERS and TILLETT) 185
Inflammation:
Non-specific, influence on development of chancre (CHESNEY and KEMP) 487
Interstitial:
Nephritis, in calf after interference with normal intake of colostrum (SMITH) 413
Intestine:
Bile pigment absorption (McMASTER and ELMAN) 719
Diarrhea, early, bacteriology of intestinal tract of calf (SMITH and ORCUTT) 89
Epithelium, hydropic, of newborn calf (SMITH) 81
Obstruction (HADEN and ORR) 107
—, blood chlorides (HADEN and ORR) 113
— of jejunum, effect of sodium chloride introduced into lumen below obstruction (HADEN and ORR) 707
—, sodium content of blood (HADEN and ORR) 119
Scours, bacteriology of intestinal tract of calf (SMITH and ORCUTT) 89
In vitro:
Pneumococcus, specificity and virulence during growth (REIMANN) 587
Irritability:
Allergic. II (LEWIS and LOOMIS) 327

J

Jaundice:
Physiological wastage of corpuscles expressed as (ROUS and DRURY) 601

Jejunum:
Obstruction (HADEN and ORR) 707

K

Kidney:
Encephalitozoon cuniculi in kidney of rabbit (SMITH and FLORENCE) 25

L

Lepisepticum:
Bacterium, biology. I (WEBSTER) 571
Lipoid:
Antigen (LANDSTEINER and VAN DER SCHEER) 427
Bimolecular layers on chromocytes of blood (GORTER and GRENDEL) 439
Litmus:
Vital staining (ROUS) 379
Liver:
Agglutinin, bacterial, liver as source (JONES) 767
Function, impaired, resulting in suppression of bile (DRURY and ROUS) 611
Lymphocyte:
Electrophoresis, influence of electromotive force (ABRAMSON) 445
Lysis:
Transmissible, volatility of principle (BRONFENBRENNER and KORB) 73

M

Mammal:
Tissue, living, relative reaction. I (ROUS) 379
—, —, — —. II (ROUS) 399
—, —, — —. III (ROUS) 451
Mammal—*continued:*
Tissue, living, relative reaction. IV (ROUS) 739
Metabolism:
Calcium, in osteomalacia (MILES and FENG) 137
Phosphorus, in osteomalacia (MILES and FENG) 137
Metastasis:
Tumor, distribution, relation to growth capacity of primary tumor (VAN ALLEN) 691
Methemoglobin:
Formation during oxidation of autoxidizable substances (NEILL) 551
—, spontaneous, inhibited (NEILL) 561
Oxidation-reduction of hemoglobin and. I (NEILL) 299
— — — —. II (NEILL) 535
— — — —. III (NEILL) 551
— — — —. IV (NEILL) 561
Reduction by anaerobic bacilli (NEILL) 535
— — sterile plant tissue (NEILL) 535
Microbe:
Virulence and host susceptibility in paratyphoid-enteritidis infection. VI (PRITCHETT) 195
— — — — in paratyphoid-enteritidis infection. VII (PRITCHETT) 209
Microorganism:
Tick, transmitted hereditarily and unassociated with disease (COWDRY) 817
Mosaic disease:
Cultivation in tobacco plant (OLITSKY) 129

Mosaic disease—*continued:*
Cultivation in tomato plant (OLITSKY) 129
Mouth:
Bacillus pestis caviæ, per os infection, seasonal variation in susceptibility (PRITCHETT) 209
— — —, *per os* infection, susceptibility (PRITCHETT) 195
Typhoid, mouse, *per os* infection with bacillus, seasonal variation in susceptibility (PRITCHETT) 209
—, —, — — infection with bacillus, susceptibility (PRITCHETT) 195

N

Nephritis:
Interstitial, in calf after interference with normal intake of colostrum (SMITH) 413

O

Obstruction:
Intestine (HADEN and ORR) 107
—, blood chlorides (HADEN and ORR) 113
—, sodium content of blood (HADEN and ORR) 119
Jejunum (HADEN and ORR) 707
Sodium chloride introduced into lumen of intestine below (HADEN and ORR) 707
Oleic acid:
Carcinoma, spontaneous, resistance induced by (NAKAHARA) 347
Organ:
Reaction indicated by vital staining with phthaleins (ROUS) 739
Osteomalacia:
Metabolism, calcium (MILES and FENG) 137
—, phosphorus (MILES and FENG) 137
Otitis:
Media, etiology (SMITH and WEBSTER) 275
Oxidation:
Hemoglobin by anaerobic bacilli (NEILL) 535
— — sterile plant tissue (NEILL) 535
Methemoglobin formation during oxidation of autoxidizable substances (NEILL) 551
Reduction and, by pneumococcus. VIII (NEILL and AVERY) 285
-reduction of hemoglobin and methemoglobin. I (NEILL) 299
— — — and methemoglobin. II (NEILL) 535
— — — and methemoglobin. III (NEILL) 551
— — — and methemoglobin. IV (NEILL) 561
— systems in sterile pneumococcus extracts (NEILL and AVERY) 285
Oxygen:
Tension, effect on dissociation of *Bacterium lepisepticum* (WEBSTER) 571
—, — — growth of *Bacterium lepisepticum* (WEBSTER) 571
—, — — virulence of *Bacterium lepisepticum* (WEBSTER) 571
Oxyhemoglobin:
Dissociation during pyrexia (WHITE) 315

P

Parasite:
Encephalitozoon cuniculi in kidney of rabbit (SMITH and FLORENCE) 25
Paratyphoid:
-enteritidis infection, microbic virulence and host susceptibility. VI (PRITCHETT) 195
— —, — — and host susceptibility. VII (PRITCHETT) 209
Pathology:
Pneumonia after inhalation of Friedländer's bacillus (BRANCH and STILLMAN) 631
— — — — pneumococcus (BRANCH and STILLMAN) 631
— — — — *Streptococcus hæmolyticus* (BRANCH and STILLMAN) 631
Urobilin. I (ELMAN and McMASTER) 503
—. II (McMASTER and ELMAN) 513
—. III (McMASTER and ELMAN) 719
Virus encephalitis. I (FLEXNER and AMOSS) 215
— —. II (FLEXNER and AMOSS) 233
— —. III (FLEXNER and AMOSS) 357
Pertenue:
Treponema, infection, distinctive characteristics (PEARCE and BROWN) 673
Pestis caviæ:
Bacillus, *per os* infection, seasonal variation in susceptibility (PRITCHETT) 209
—, — — —, susceptibility (PRITCHETT) 195
Phosphorus:
Metabolism in osteomalacia (MILES and FENG) 137
Phthalein(s):
Vital staining to indicate reaction of blood (ROUS) 451
— — — — reaction of organs (ROUS) 739
— — — — reaction of tissues (ROUS) 451
Physiology:
Corpuscle wastage expressed as jaundice (ROUS and DRURY) 601
Urobilin. I (ELMAN and McMASTER) 503
—. II (McMASTER and ELMAN) 513
—. III (McMASTER and ELMAN) 719
Pigment:
Bile, absorption from intestine (McMASTER and ELMAN) 719
Plant:
Mosaic disease cultivated in tobacco (OLITSKY) 129
— — — — tomato (OLITSKY) 129
Tissue, sterile, oxidation of hemoglobin (NEILL) 535
—, —, reduction of methemoglobin (NEILL) 535
Pneumococcus:
Immunity, anaphylaxis (MACKENZIE) 53
Oxidation and reduction by. VIII (NEILL and AVERY) 285
Oxidation-reduction of hemoglobin and methemoglobin (NEILL) 299
— systems in sterile extracts (NEILL and AVERY) 285

Pneumococcus—*continued:*
Pneumonia after inhalation, pathology (BRANCH and STILLMAN) 631
Protein, cutaneous allergy (MACKENZIE and WOO) 65
Serological relations between streptococcus and (HITCHCOCK) 13
Specificity and virulence during growth *in vitro* (REIMANN) 587
Virulent, pure culture (AMOSS) 649

Pneumonia:
Bacillus abortus, in fetus (SMITH) 639
— —, — new-born calf (SMITH) 639
—, Friedländer's, after inhalation (STILLMAN and BRANCH) 623
—, —, — —, pathology (BRANCH and STILLMAN) 631
Pneumococcus, after inhalation, pathology (BRANCH and STILLMAN) 631
Streptococcus hæmolyticus, after inhalation (STILLMAN and BRANCH) 623
— —, — —, pathology (BRANCH and STILLMAN) 631

Polycythemia:
Production by subcutaneous injection of epinephrine (EDMUNDS and NELSON) 1

Protection:
Hemolytic streptococcus from erysipelas, skin infection, protective action of immune serum (RIVERS) 179

Protein:
Pneumococcus, cutaneous allergy (MACKENZIE and WOO) 65

R

Reduction:
Methemoglobin by anaerobic bacilli (NEILL) 535
— — sterile plant tissue (NEILL) 535
Oxidation and, by pneumococcus. VIII (NEILL and AVERY) 285
Oxidation-, of hemoglobin and methemoglobin. I (NEILL) 299
—, — — and methemoglobin. II (NEILL) 535
—, — — and methemoglobin. III (NEILL) 551
—, — — and methemoglobin. IV (NEILL) 561
—, systems in sterile pneumococcus extracts (NEILL and AVERY) 285

Renal:
See Kidney.

Resistance:
Carcinoma, spontaneous, resistance induced by injections of oleic acid (NAKAHARA) 347

Respiration:
Carbon dioxide, respiratory response (DAVIES, BROW, and BINGER) 37
Infection of rabbit, epidemiology. VI (SMITH and WEBSTER) 275

Roentgen rays:
Antibody formation, comparison with effect of dry heat (MURPHY and STURM) 245

Roentgen rays—*continued:*
Skin reaction to treatment with radiant heat and (HAWKINS and CLARK) 761

S

Sarcoma:
Tar, production in chicken (MURPHY and LANDSTEINER) 807
—, transmission in chicken (MURPHY and LANDSTEINER) 807

Scours:
Bacteriology of intestinal tract of calf (SMITH and ORCUTT) 89

Serology:
Streptococcus and pneumococcus (HITCHCOCK) 13

Serum:
Immune, physicochemistry (DU NOÜY) 779
—, protective action against skin infection with hemolytic streptococcus from erysipelas (RIVERS) 179
Surface tension. XII (DU NOÜY) 663
— —. XIII (DU NOÜY) 779

Skin: (*See also* Epithelium.)
Allergy to pneumococcus protein (MACKENZIE and WOO) 65
Infection with hemolytic streptococcus from erysipelas. I (RIVERS) 179
Reaction to treatment with radiant heat and soft x-rays (HAWKINS and CLARK) 761
Streptococcus, hemolytic, infection, local passive immunity (RIVERS and TILLETT) 185
Virus, filterable, infection, local passive immunity (RIVERS and TILLETT) 185

Sodium:
Blood, after intestinal obstruction (HADEN and ORR) 119

Sodium chloride:
Obstruction of jejunum, effect of sodium chloride introduced into lumen of intestine below obstruction (HADEN and ORR) 707

Specificity:
Inflammation, non-specific, influence on development of chancre (CHESNEY and KEMP) 487
Pneumococcus, virulence and, during growth *in vitro* (REIMANN) 587

Spore:
Bacterial, resistance to triphenylmethane dyes (BURKE and SKINNER) 471

Staining:
Vital, with litmus (ROUS) 379
—, — phthaleins, to indicate reaction of blood (ROUS) 451
—, — —, to indicate reaction of organs (ROUS) 739
—, — —, to indicate reaction of tissues (ROUS) 451

Sterilization:
Hemoglobin and methemoglobin, oxidation-reduction by sterile animal tissue (NEILL) 299
— oxidized by sterile plant tissue (NEILL) 535
Methemoglobin reduced by sterile plant tissue (NEILL) 535
Pneumococcus extracts, sterile, oxidation-reduction systems (NEILL and AVERY) 285

Stigma:
Syphilis, congenital, with refer-

Stigma—*continued:*
ence to inheritance (BROWN and PEARCE 795
Streptococcus:
hæmolyticus pneumonia after inhalation (STILLMAN and BRANCH) 623
— — — —, pathology (BRANCH and STILLMAN) 631
Hemolytic, from erysipelas, skin infection. I (RIVERS) 179
—, local passive immunity in infected skin (RIVERS and TILLETT) 185
Serological relationships between pneumococcus and (HITCHCOCK) 13
Susceptibility:
Bacillus pestis caviæ, per os infection (PRITCHETT) 195
— — —, *per os* infection, seasonal variation (PRITCHETT) 209
Host, and microbic virulence in paratyphoid-enteritidis infection. VI (PRITCHETT) 195
—, — — — in paratyphoid-enteritidis infection. VII (PRITCHETT) 209
Typhoid, mouse, *per os* infection with bacillus (PRITCHETT) 195
—, —, — — infection with bacillus, seasonal variation (PRITCHETT) 209
Syphilis:
I (CHESNEY and KEMP) 479
II (CHESNEY and KEMP) 487
Syphilis—*continued:*
Congenital, stigmata with reference to inheritance (BROWN and PEARCE) 795
Inoculum, influence of size on (CHESNEY and KEMP) 479

T

Tension:
Oxygen, effect on dissociation of *Bacterium lepisepticum* (WEBSTER) 571
—, — — growth of *Bacterium lepisepticum* (WEBSTER) 571
—, — — virulence of *Bacterium lepisepticum* (WEBSTER) 571
Surface, of serum. XII (DU NOÜY) 663
—, — —. XIII (DU NOÜY) 799
Thyroid:
Cells, pure strain (EBELING) 337
Tick:
Microorganism transmitted hereditarily and unassociated with disease (COWDRY) 817
Tissue:
Animal, sterile, oxidation-reduction of hemoglobin and methemoglobin (NEILL) 299
Mammalian, living, relative reaction. I (ROUS) 379
—, —, — —. II (ROUS) 399
—, —, — —. III (ROUS) 451
—, —, — —. IV (ROUS) 739

Tissue—*continued:*
Plant, sterile, oxidation of hemoglobin (NEILL) 535
—, —, reduction of methemoglobin (NEILL) 535
Reaction indicated by vital staining with phthaleins (ROUS) 451
Tobacco:
Mosaic disease, cultivation (OLITSKY) 129
Tomato:
Mosaic disease, cultivation (OLITSKY) 129
Transmission:
Microorganisms, hereditary, in ticks, unassociated with disease (COWDRY) 817
Transplantation:
Tumor, relation of growth capacity of primary tumor to distribution of metastases (VAN ALLEN) 691
Treponema:
pertenue infection, distinctive characteristics (PEARCE and BROWN) 673
Triphenylmethane dyes:
Bacterial spores, resistance to (BURKE and SKINNER) 471
Tuberculosis:
Antigen, diaplyte, of Dreyer, influence of, on (BRONFENBRENNER and STRAUB) 257
Tumor:
Primary, growth capacity, relation to distribution of metastases (VAN ALLEN) 691
Transplanted, relation of growth capacity of primary tumor to distribution of metastases (VAN ALLEN) 691
Twort-d'Hérelle phenomenon:
Bacteriophage. I (BRONFENBRENNER and KORB) 73
Typhoid:
Mouse, bacillus, *per os* infection, seasonal variation in susceptibility (PRITCHETT) 209
—, —, — — infection, susceptibility (PRITCHETT) 195

U

Urobilin:
Bile, relation to presence in body of (MCMASTER and ELMAN) 513
Derivation (MCMASTER and ELMAN) 513
Pathology. I (ELMAN and MCMASTER) 503
—. II (MCMASTER and ELMAN) 513
—. III (MCMASTER and ELMAN) 719
Physiology. I (ELMAN and MCMASTER) 503
—. II (MCMASTER and ELMAN) 513
—. III (MCMASTER and ELMAN) 719
Quantitative determination (ELMAN and MCMASTER) 503

V

Virulence:
Bacterium lepisepticum, effect of blood (WEBSTER) 571

Virulence—*continued:*
Bacterium lepisepticum, effect of oxygen tension (WEBSTER) 571
Microbic, and host susceptibility in paratyphoid-enteritidis infection. VI (PRITCHETT) 195
—, — — — in paratyphoid-enteritidis infection. VII (PRITCHETT) 209
Pneumococcus, specificity and, during growth *in vitro* (REIMANN) 587
—, virulent, pure culture (AMOSS) 649
Virus:
Encephalitis, exotic strain (FLEXNER and AMOSS) 215
—, herpetic strains (FLEXNER and AMOSS) 233
—, pathology. I (FLEXNER and AMOSS) 215
Virus—*continued:*
Encephalitis, pathology. II (FLEXNER and AMOSS) 233
—, —. III (FLEXNER and AMOSS) 357
Filterable, local passive immunity in infected skin (RIVERS and TILLETT) 185
Herpes (FLEXNER and AMOSS) 357
Vital staining:
Litmus (ROUS) 379
Phthalein, to indicate reaction of blood (ROUS) 451
—, — — reaction of organs (ROUS) 739
—, — — reaction of tissues (ROUS) 451

X

X-rays:
See Roentgen rays.